SAFETY INFORMATION	13)
(INSTALLATION	(15)
OPERATION	(16)
CONSERVATION	17)
(FREEZING	18)
DEFROSTING	(19)
(MAINTENANCE AND CLEANING	(19)
(ENERGY SAVINGS	(19)
(AVOIDING NOISES	(20)
REVERSIBILITY OF THE DOOR	20
SUSPENDING USE OF THE APPLIANCE	21)
(TROUBLESHOOTING	(22)

Thank you for purchasing this product.

Before using your refrigerator, please carefully read this instruction manual in order to maximize its performance Store all documentation for subsequent use or for other owners.

This product is intended solely for household use or similar applications such as:
- the kitchen area for personnel in shops, offices and other working environments
- on farms, by clientele of hotels, motels and other environments of a residential type

- at bed and breakfasts (B & B)

 for catering services and similar applications not for retail sale.
 This appliance must be used only for purposes of storage of food, any other use is considered dangerous and the manufacturer will not be responsible for any omissions

Also, it is recommended that you take note of the warranty conditions.

SAFETY INFORMATION

- · Before performing any operation, unplug the power cord from the power socket.
- · The refrigeration system positioned behind and inside the refrigerator contains refrigerant. Therefore, avoid damaging the tubes.
- If in the refrigeration system a leak is noted, do not touch the wall outlet and do not use open flames.

Open the window and let air into the room. Then call a service centre to ask for repair.

- Do not scrape with a knife or sharp object to remove frost or ice that occurs. With these, the refrigerant
- circuit can be damaged, the spill from which can cause a fire or damage your eyes.
- · Do not install the appliance in humid, oily or dusty places, nor expose it to direct sunlight and to water.
- Do not install the appliance near heaters or inflammable materials.
- · Do not use extension cords or adapters.
- Do not excessively pull or fold the power cord or touch the plug with wet hands.
- Do not damage the plug and/or the power cord; this could cause electrical shocks or fires.
- It is recommended to keep the plug clean, any excessive dust residues on the plug can be the cause fire.
- Do not use mechanical devices or other equipment to hasten the defrosting
- · Absolutely avoid the use of open flame or electrical equipment, such as heaters, steam cleaners, candles, oil lamps and the like in order to speed up the defrosting phase.
- · Do not use or store inflammable sprays, such as spray paint, near the refrigerator. It could cause an explosion or fire.
- Do not use electrical appliances inside the food storage compartments, unless they are of the type recommended by the manufacturer.
- · Do not place or store inflammable and highly volatile materials such as ether, petrol, LPG, propane gas, aerosol spray cans, adhesives, pure alcohol, etc. These materials may cause an explosion.
- · Do not store medicine or research materials in the refrigerator. When the material that requires a strict

control of storage temperatures is to be stored, it is possible that it will deteriorate or an uncontrolled reaction may occur that can cause risks.

- Maintain the ventilation openings in the appliance enclosure or in the built-in structure, free of obstruction.
- Do not place objects and/or containers filled with water on the top of the appliance.
- Do not perform repairs on this refrigerator. All interventions must be performed solely by qualified personnel.

This appliance can be used by children aged from 8 years and above and by persons with reduced physical, sensory or mental capabilities or with a lack of experience and knowledge; provided that they have been given adequate supervision or instruction concerning how to use the appliance in a safe way and understand the hazards involved.

Children should not play with the appliance. Cleaning and user maintenance should not be made by children without supervision.

Turning the knob fully counterclockwise, you will hear a click which corresponds to the switch-off of the product.

When the appliance is installed, the electrical cord and the current socket must be easily reached.

The socket is compatible with the plug of the appliance. If not, request replacement of the plug by an authorized technician; do not use extension cords and/or multiple connectors.

Do not touch the internal parts or frozen food with moist or wet hands as it can cause burns.

Absolutely avoid the use of open fl ames or electrical appliances, such as heaters, steam cleaners, candles, oil lamps and the like to accelerate the defrosting phase.

Do not scrape with a knife or sharp object to remove frost or ice present. These can damage the refrigerant circuit, the leakage of which can cause a fi re or damage your eyes.

Scrapping old appliance





By ensuring that this product is properly disposed of, you will help prevent potential negative impacts on the environment and human health, which could otherwise arise due to inappropriate waste handling of this product on reaching the end of its working life.

With proper disposal of the appliance, it is possible to recover valuable raw materials!

This appliance is marked as conforming to the European Directive 2012/19/EU on Waste of Electrical and Electronic Equipment (WEEE). The symbol on the product indicates that this appliance may not be treated as normal household waste; it must, instead, be delivered over to the nearest collection point for the recycling of electrical and electronic equipment.

Disposal must be effectuated in accordance with the environmental regulations in force for waste disposal. For more detailed information about treatment, recovery and recycling of this product, contact the public office (Department of Ecology and Environment), your home household waste disposal service, or the shop where you purchased the product.

Cut and dispose of the power cord with the plug.

Up until appropriate disposal, do not damage the tubing because they contain the refrigerant gas. For the disposal of packing materials, follow local regulations.

WEEE contains both polluting substances (which can cause negative consequences for the environment) and basic components (which can be re-used). It is important to have WEEE subjected to specific treatments, in order to remove and dispose properly all pollutants, and recover and recycle all materials. Individuals can play an important role in ensuring that WEEE does not become an environmental issue; it is essential to follow some basic rules:-WEEE should not be treated as household waste.

- -WEEE should be handed over to the relevant collection points managed by the council or by registered companies. In many countries, for large WEEE, home collection could be.
- when you buy a new appliance, the old one may be returned to the retailer who may collect it free of charge on a one-to-one basis, as long as the equipment is of equivalent type and has the same functions as the supplied equipment.



This equipment, in the parts intended to come into contact with food products, conforms with the requirements of EC Regulation No. 1935/2004. Apparatus conforms with European Directive 2004/1 08/EC, 2006/95EC and successive amendments.

INSTALLATION


WARNINGS:

- Do not install the appliance in a damp or wet location as this could compromise the
- insulation and result in leakage. Furthermore, condensation could accumulate on the exterior of the appliance.


 Do not place the appliance in locations outside or near sources of heat or exposed to direct sunlight.
- Do not place the appliance in locations outside or near sources of neat or exposed to direct sunligr.
 The appliance operates properly within the range of environmental temperatures indicated:
- +10 +32'C for the climatic class SN
- +16 +32'C for the climatic class N
- +16 +38'C for the climatic class ST
- +16 +43'C for the climatic class T
- (See the nameplate of the product)
- *Do not place containers with liquids on top of the appliance.
- · Wait at least 3 hours after fi nal placement before placing the appliance in operation.
- 1 Make sure that the space around the refrigerator is adequate for ventilation. The illustration (fig. 1) shows the minimum space required for the installation of the refrigerator.

Maintaining a wider space from the wall, results in reduced electrical energy consumption.

The use of the refrigerator in a space the size less than those indicated in the illustration below (fig. 1) could result in improper operation, loud noises and breakdowns.



2 If present, install the wall spacer in a central position at the rear of the appliance.(Fig.2)



3 Adjust the feet to ensure the stability of the appliance and prevent vibrations and noise (fig. 3). If the front part is higher than the rear, the door can be closed more easily.

Fig.2

(Fig.3)



NOTE:

If your refrigerator is in stainless steel or other special finish, it might come with a peel-off coating that protects the surface.

Do not use sharp objects to remove this protection as it could damage

Electrical connection

After shipping, place the appliance vertical and wait at least 2 - 3 hours before connecting it to the electrical system. Before inserting the plug into the electrical socket, make sure that:

- into the electrical socket, make sure that:

 The socket is earthed and in compliance with the law.

 The socket can withstand the maximum power load of the appliance, as indicated on the nameplate of the refrigerator.

 The power supply voltage is within the amounts indicated on the nameplate of the refrigerator.

 The cord must not be folded or compressed.

- The cord must be checked regularly and replaced solely by authorised
- The manufacturer declines any liability whenever these safety measures are not respected.

Electrical connection (for U.K. only)

Plug your appliance into the power socket. If the plug we supply does not fit:

■ CUT IT OFF AND DESTROY IT!

You can't use it on other appliances, and the exposed wires could be dangerous if

anyone plugged it in.

Fit a suitable plug, as follows

Connect to the terminal in the plug Marked with the letter E,OR marked with the Earth symbol. OR coloured green. yellow wire OR coloured green and yellow Marked N. Blue wire OR coloured black Marked L, Brown wire OR coloured red

Appliance start-up

Remove all wrapping/packaging present inside the appliance and clean with water and baking soda or neutral soap.

After the installation, wait 2 - 3 hours to allow time for the refrigerator/ freezer to stabilize at normal working temperature, before placing fresh or trozen fortilising the stabilized to th or frozen foods inside.


If the power cord becomes disconnected, wait at least five minutes before restarting the refrigerator/ freezer. At this point, the appliance is ready for use.

OPERATION


Turning On/Off (no display)

• The thermostat unit for control of the appliance is located inside of the refrigerator compartment (Fig.4).
Rotate the thermostat knob of the thermostat beyond the "0" position. The light is on when the refrigerator door is open. Turning the knob to "0" completely turns off the product.

Turning the knob to "0" completely turns off the product



Temperature adjustment (no display)



- *The temperature adjustment of both compartments is effected by rotating the thermostat knob (fig. 5). Select the desired position:
- For colder temperature in the refrigerator and in the freezer, by turning towards MAX**:*
- For temperature less cold in the refrigerator and in the freezer, by rotating in the direction of 0.

Refrigerator Compartment Fan (if present)

The fan is preset to OFF.

To activate, press the switch (fig. 6)
To optimize energy consumption, it is recommended that you turn the fan on only when the ambient air temperature exceeds 28 to 30°C.





Fig.6

Turning ON / Off (with display)

PRODUCT IN STANDBY: For shutting off the TOTAL NO FROST products, select the freezer function by the MODE button and utilise the arrows 7-8 to visualize the symbol - For all other products, select the refrigerator function by the MODE button and use the arrows 7-8 to visualize the symbol -.

duct remains powered up until the removal of the power cord



Temperature adjustment (with display)

The preset values are +5 (range +1 ++7) for the refrigerator, and -18 (range -16 ÷-22) for the freezer.

After switching off or an extended off period , the product restarts with the previously set lemperature.

· FUNCTION MODE (9)

Pressing the Mode button, it is possible to adjust the temperatures of the refrigerator and freezer.

Refrigerator
Pressing the Mode button once, you adjust the refrigerator temperature. It is possible to set the desired position using the arrows 7, 6. Position 1: the coldest setting: position 7 least cold setting. If the appliance is a Total No Frost type, after the reading 1, H (Holiday) will be displayed.

Pressing the Mode button 2 times, the desired position for the freezer can be adjusted; -16, less cold. -22, colder; select the desired reading and wait 3 seconds and the temperature will be set.

For all products, with the exception of Total No Frost, the temperature between the refrigerator and freezer is set simultaneously, if you increase/decrease the refrigerator temperature by 2 or more degrees, then the freezer temperature will automatically increase/decrease by the same value. If the temperature change is less than 2 degrees, then the automatic temperature adjustment will not occur.

· FUNCTION ECO (10) / (3)

By activating this function, the appliance optimizes energy efficiency by automatically setting the ideal temperature for ensuring food preservation with lowest energy consumption.

To turn off the Eco function, press the button again.

 $\hbox{-LOCK FUNCTION} \stackrel{(1)}{\longrightarrow} f \stackrel{(2)}{\longrightarrow} \\ \hbox{Pressing the Lock button, lock of the buttons is activated (any other command will be ignored). To deactivate, press the Lock button again. }$



SMART COOLICED DRINK FUNCTION (13) / (6)

To rapidly cool drinks, put the bottle in the Ireezer compartment and activate the function by pressing smart cool/load drink button.

A countdown of 30 minutes starts, after which a 15° acoustic signal indicates that the bottle has reached deal cooling. The function can be turned off by again pressing the button.

. HOLIDAY FUNCTION (only on TOTAL NO FROST PRODUCTS)

In the case of protonger absences, it is possible to use the Protong function.

This function allows you to turn off the refrigerator compartment, but the freezer compartment will remain on. Be sure to remove food from the refrigerator compartment before using this function. To activate see the refrigerator function Mode. To deactivate this function, reset the

emperature of the refrigerator. REFRIGERATOR DOOR ALARM

If the door remains open for more than a minute, the appliance emits an acoustic signal. Press the MODE button if you want to muffle it.


CONSERVATION

• To maintain the best flavour, nourishment and freshness of foods, it is advisable to store them in the refrigerator compartment as shown in fig. 8 below, making sure to wrap them in aluminium or plastic sheets or in appropriate covered containers to avoid cross-contamination.

Refrigerator zone

Fruit / Vegetables

 To decrease fruit and vegetable moisture losses they must be wrapped in plastic materials such as, for example, films or bags and then inserted in the fruit/vegetable zone. In this way rapid deterioration is avoided.



Refrigerated section - Chill

The zone shown below is recommended for meat, fish, poultry, etc.; do not store fruit and vegetables because they can freeze;



Indicator of the temperature in the coldest zone (not all models)


Some models are equipped with an indicator of the temperature in the retrigerator compartment in the coldest zone, for you to be able to control the average temperature. This symbol indicates the coldest zone of the refri



Check that on the indicator of the temperature, the word OK is clearly

shown, (fig. 10)
If the word does not appear, this means that the temperature is too

high: adjust the temperature to a cooler setting and wait for about 10 hours. Recheck the indicator; if necessary, proceed with a new adjustment.



NOTE: If large quantities of food are inserted or the refrigerator door frequently opened, it is normal for the indicator fails to show OK. Wait at least 10 h before adjusting the knob to a higher setting.

Freezer zone

The storage of frozen food is for about a month in the compartments.

Use the table below for the compartments.

Freezing process can only occur in the compartments.



Practical recommendations

Place food on the shelves in a homogeneous manner to allow air to circulate properly and to cool it.

- Avoid contact between the food and the far end walls of the refrigera-
- Do not introduce hot foods as they can cause deterioration of existing ones and increase energy consumption.
- . Remove the wrappings of foods before inserting them.
- . Do not out in dishes or other containers unless previously washed.
- *Do not obstruct the cold air ventilator openings with food.
- Do not cover the glass shelf of the vegetable bin to allow for proper
- . Do not store bottles in the freezer compartment as they can burst
- in the case of prolonged power outage, keep the doors closed so that foods remain cold as long as possible.
- The installation of the appliance in a hot and humid location, with frequent door openings and storing large amounts of vegetables can cause the formation of condensation and affect the performance of the unit itself.
- To prevent excessive energy consumption, the frequent or prolonged opening of the doors is not recommended.

FREEZING

Foods must be fresh.

Fig.9

Fig.10


- Freeze small amounts of food at a time in order to freeze quickly.

 Never exceed the maximum amount indicated on the nameplate.
- . During freezing, do not open the freezer door
- Food must be sealed, airtight.
- * Separate food to be frozen by those already frozen
- * Label bags or containers to keep an inventory of frozen foods.
- Once defrosted, consume food promptly. Do not ever refreeze foods.

NOTE:

PRODUCTS WITHOUT DISPLAY

Normally it is not necessary to intervene with the thermostat knob. If you find excessive cooling of the products contained in the refrigerator compartment, gently turn the thermostat knob toward 0. (fig. 11)
On completion of freezing, return the knob to the usual position.



Products with display See Turn ON / OFF Display For products with a NO FROST freezer compartment, activate the SUPER FREEZING function 8 hours before introducing the foods. For the other products, activate the SUPER FREEZING function at the time of introduction of the foods.

DEFROSTING

Defrosting the refrigerator compartment

During normal functioning, the refrigerator is automatically defrosted. There is no need to dry the drops of water present on the rear wall or to eliminate the frost (depending on functioning). The water is correved to the rear part through the drain hole found there and the heat of the compressor causes it to evaporate.

Keep the drainage pipe (fig.12) clean in the refrigerator compartment to keep it free of water.




Fig.12

Defrosting the freezer compartment

cts without NO-FROST technology)

When the layer of frost present in the freezer compartment exceeds 3mm, it is recommended to proceed with the defrosting as it increases energy consumption.

1) Rotate the knob to the "0" position (fig.13)



FWARTNING:

Absolutely avoid the use of open flames or electrical appliances, such as heaters, steam cleaners, candles, oil lamps and the like to accelerate the defrosting phase.

Do not scrape with a knile or sharp object to remove frost or ice present. These can damage the refrigerant circuit, the leakage of which can cause a fire or damage your eyes.

Defrosting the freezer compartment


Defrosting is automatic.

MAINTENANCE AND CLEANING

Lighting (according to model)

Bulb Replacement

To replace the lamp builb, place the thermostat knob on 0 and disconnect the power cord. Remove the protective cover (flg. 14), replace the bulb with a power rating analogous with that indicated on the protective cover (Fig.14)



WARNING

WARNING:

*The light butb supplied with this appliance is a "special use lamp bulb" usable only with the appliance supplied. This "special use lamp" is not usable for domestic lighting.

*Do not touch the light bulb if it has been on for a long period of time because it could be very hot.

LED lighting (Where present)
If the product is equipped with LED lights, please contact the Technical
Assistance Service in case of replacement.
Compared to traditional light bulbs, the LEDs last longer and are environmentally friendly.

Cleaning

NOTICE:

• Before each operation, remove the refrigerator plug from the power socket to prevent electric shocks.

• Do not pour water directly on the outside or inside of the refrigerator itself. This could lead to oxidation and damaging of the electrical insulation.

IMPORTANT:

IMPORTANT:
To prevent cracking of the inside surfaces and plastic parts,
tollow these suggestions:

• Wipe away any food oils adhered to plastic components

• The internal parts, gaskets and external parts can be cleaned with a
cloth with warm water and baking sode or a neutral soap. Do not use
solvents, ammonia, bleach or abrasives.

• Remove the accessories, for example, the shelves, from the refrigerator and from the door. Wash in hot soapy water. Rinse and thoroughfy dry.

ly dry.

The back of the appliance tends to accumulate dust which can be

The back of the appliance tends to accumulate dust which can be eliminated with the use of a vacuum cleaner, after having switched off and disconnected the appliance from the electrical outlet. This provides greater energy efficiency.

ENERGY SAVINGS

For hetter energy avaings, we suggest:

Installing the appliance away from heat sources and not exposed to direct sunlight and least sources and not exposed to direct sunlight and least sources and not exposed to direct sunlight and least sources and not exposed to direct sunlight and least sources and not exposed to direct sunlight and least sources and not exposed to direct sunlight and least sources and not exposed to direct sunlight and least sources.

For better energy savings, we suggest:

Installing the appliance away from heat sources and not exposed to direct sunlight and in a well ventilated room.

Avoid putting hot food into the refrigerator to avoid increasing the internal temperature and therefore causing continuous functioning of the compressor.

Do not excessively stuff foods so as to ensure proper air circulation.

Defrost the appliance in case there is ice (see DEFROSTING) to

Defroot the appliance in case there is ice (see DEFROSTING) to facilitate the transfer of cold.
 In case of absence of electrical energy, it is advisable to keep the refrigerator door closed.
 Open or keep the doors of the appliance open as little as possible
 Avoid adjusting the thermostat to temperatures too cold.
 Remove dust present on the rear of the appliance (see CLEANING).

For static products tests must be done without freezer drawers, for the others the drawers must be left in the freezer.

AVOIDING NOISES

During its operation, the refrigerator emits some normal noises, such as:

- HUMMING, the compressor is running.
 RUMBLINGS, RUSTLINGS and HISSING, the refrigerant is flowing through the tubes.
 TICKS and CLICKS, the operation shutdown of the compressor.

- Small measures to reduce the vibration noises:
 THE APPLIANCE IS NOT LEVEL: Adjust the feet—so the appliance is level.
- Containers touch each other: Avoid contact between containers and glass receptacles.
- Appliance in contact: Install the appliance away from other furniture or electrical appliances.
- * Drawers, shelves, bins vibrate: Check the proper installation of internal accessories.

NOTE:
The refrigerant gas produces noise even when the compressor is off; it is not a defect, it is normal. If you hear a clicking sound inside the appliance, it is normal as due to expansion of the various materials.


REVERSIBILITY OF THE DOOR (MECHANICAL)


The doors of the appliance can be reversed so as to allow the opening to the right or left according to exigency.

NOTICE:


• Inversion of the doors must be performed by qualified technical personnel.

• Inversion of the doors is not covered by the warranty.






REVERSIBILITY OF THE DOOR (ELECTRONIC)







- If the appliance is not to be used for a long time;

 1) Turn the appliance OFF (see Operation),

 2) Extract the plug or remove the safety device

 3) Clean the appliance

 4) Leave the doors of the appliance open.

TROUBLESHOOTING

PROBLEM	CAUSE	REMEDY
The inside Illumination light bulb does not turn on.	The light bulb is burned out. Electricity absence.	Replace the lamp bulb (see lighting). The power cord is not properly plugged in. Check whether the appliance is switched off. (see Temperature Adjustment). Ensure that there is a current in the house.
	Door switch is blocked.	Check that it is active.
The refrigerator and freezer do not sufficien ly cool.	• The doors are not closed.	Check that the door and gaskets close
		properly.
	The doors are frequently opened	 Avoid unnecessary opening of the doors for a period of time.
		 Check the position of the knob or temperature
	Erroneous setting of the temperature.	setting and, if it is possible, cool even more (see Temperature adjustment)
	. The refrigerator and freezer have been exce-	· Wait for the stabilization of the temperature of
	ssively filled.	the refrigerator or freezer.
	Surrounding temperature is too low.	Check that the ambient temperature is in
		accordance with what is indicated on the na-
		meplate (see installation).
	No electrical power.	 The power cord is not properly plugged in.
		 Check whether the appliance is switched oif
		(see Temperature adjustment)
		. Ensure that in the home there is current.
	* The rear of the appliance is too close to the Move the appliance away from the wall (see	
	wall.	Installation).
The food in the refrigerator freezes.	Erroneous setting of the temperature.	Check the position of the knob or temperature setting (see Temperature Adjustment) and, if possible, decrease temperature setting.
	Food in contact with the back wall. The fooding of the most food food food.	Separate the food from the back wall of the refrigerator.
	 The freezing of too much fresh food causes a lowering of the temperature of the refrigerator 	Do not exceed the maximum amount to be frozen (see Freezing).
The bottom of the refrigerator compartment		Clean the drain tube with a cotton-bud or the like
is wet or droplets are present.	the drain tube could be clogged.	to allow the discharge of water.
Presence of drops or water on the back wall of the refrigerator.	Normal operation of the refrigerator.	It is not a defect (see Defrosting).
Presence of water in the vegetable drawer.	Lack of air circulation.	Check that there is no obstruction on the glass shelf which will prevent air circulation.
	Vegetables and fruits with too much moisture	Place fruit and vegetables in plastic, such as films, bags or containers
The motor runs continuously.	*The doors are not closed.	 Make sure the doors are closed and if the seals close properly.
	The doors are opened frequently.	 Avoid unnecessary open ports for a certain period.
	Ambient temperature is very high.	 Verify that the ambient temperature is in accordance with the specifications on the nameplate (see Installation).
	a Thinks are at four times One.	Set the thermostal knob on low numbers / Set the display a warmer temperature.
The temperature of early and a service of a service of the service	Thickness of frost than 3mm.	Defrost the unit (see Defrosting).
The temperature of some external parts is nigh.	Presence of the condensate drain pipe.	 It is normall: temperatures are high to prevent the formation of condensation on certain parts.
The frozen food is thawing.	The ambient temperature range below climate class of the product. The compressor starts rarely	Move the unit to a warmer or heat the room.
	The freezer door is not closed.	 Make sure the door is closed and that the gasket is sealing properly.
Condensation on the outside.	Environment too moist.	Move the unit in a less humid.

IF YOU ARE NOT SOLVED THE PROBLEM, CONTACT THE SERVICE CENTER, PLEASE GIVE THE TYPE OF FAULT AND THE INFORMATION ON THE PLATE OF THIS APPARATUS TO INSIDE THE REFRIGERATOR COMPARTMENT:

- •The model of equipment.
 •The number of series.